



Genitourinary Cancer

What is it?

Genitourinary cancers refer to cancers of the urinary system of men and women and the reproductive organs in men.

Types of Genitourinary Cancers

Kidney Cancer

These types of cancer may not have symptoms. Many kidney cancers are found on imaging for other health concerns. Possible symptoms are **blood in your urine or pain in the upper back or flank.**

Bladder Cancer

Cancer can occur in the lining of the bladder. Symptoms may include **blood in your urine, urgency to urinate, or pain in the pelvis.**

Testicular Cancer

The testicles are two glands located inside the scrotum, or the loose skin directly below the penis. Symptoms may include **a hard mass in the testicle or aching, pain or swelling in the area.**

Prostate Cancer

The prostate is located below the bladder. Prostate cancer rarely present early symptoms. It may present as **inability and difficulty starting urination, painful or burning urination or blood in urine or semen.**



Risk Factors

While risk factors vary based on the type of cancer, family history and smoking may play a role in many genitourinary cancers.

The best strategy for these diseases is early diagnosis when cancer is highly treatable. Familiarity with the signs and symptoms of the disease and sensitivity to any physical changes are all helpful towards early detection.

**Early Detection and Cancer Prevention Services
The Brunei Cancer Centre**

For questions or concerns, please call us at
+673 261 3333 (ext. 1515)



Kanser Genitouriner

Mengenai kanser ini

Kanser genitouriner merujuk kepada kanser sistem kencing lelaki dan wanita dan organ reproduksi lelaki.

Jenis-jenis Kanser Genitouriner

Kanser Buah Pinggang

Jenis kanser ini mungkin tidak mempunyai gejala. Kebanyakan kanser buah pinggang ditemui secara kebetulan melalui pemeriksaan imbasan untuk masalah kesihatan yang lain. Simptom yang boleh berlaku adalah seperti **darah dalam air kencing** atau **sakit di bahagian atas belakang** atau **rusuk**.

Kanser Pundi Kencing

Kanser boleh berlaku pada lapisan pundi kencing. Tanda yang boleh berlaku ialah **darah dalam air kencing**, **kerap membuang air kecil**, atau **sakit di bahagian pelvis**.

Kanser Testikel

Testis adalah dua kelenjar berbentuk telur yang terletak di dalam skrotum di bawah zakar. Tanda yang boleh berlaku ialah **terjadinya ketulan di testis**, **sakit** atau **bengkak di kawasan tersebut**.

Kanser Prostat

Prostat terletak di bawah pundi kencing. Kanser prostat jarang menunjukkan gejala awal. Ia mungkin muncul sebagai **kesukaran untuk membuang air kecil**, **rasa sakit ketika membuang air kecil** atau **darah dalam air kencing** atau **air mani**.



Faktor Risiko

Walaupun faktor risiko berbeza-beza tergantung jenis kanser, sejarah keluarga dan merokok mungkin memainkan peranan dalam kebanyakan kanser genitouriner.

Strategi terbaik untuk kanser ini adalah pengesanan awal apabila kanser lebih mudah untuk dirawat. Peka dengan tanda-tanda dan gejala penyakit dan peka terhadap sebarang perubahan fizikal amat membantu ke arah pengesanan awal.

**Perkhidmatan Pengesanan Awal dan Pencegahan Kanser
Pusat Kanser Brunei**

Untuk pertanyaan, sila hubungi kami
+673 261 3333 (ext. 1515)